Reconstrucción de Mapas de Manglares usando Bosques Aleatorios e Imágenes Satelitales

Álvaro J. Riascos Villegas Uniandes y Quantil

14 de junio de 2022

▲□▶ ▲□▶ ▲□▶ ▲□▶ = □ - つへで

Introducción

Metodología

Resultados 00

Irán: Hara área protegida



◆□▶ ◆□▶ ◆三▶ ◆三▶ ・三里 のへで

・ロト・日本・ヨト・ヨト・日・ つへぐ

Table 1. The number and area of training and test polygons for nine classes that were considered in this study.

ID	Class	Training Samples		Test Samples		Total	
		Polygon	Area (ha)	Polygon	Area (ha)	Polygon	Area (ha)
1	Mangrove	24	14.59	27	15.30	51	39.89
2	Tidal zone	30	17.04	22	13.38	52	30.42
3	Deep water	29	17.67	36	23.12	65	40.79
4	Shallow water	44	16.31	35	15.67	79	31.98
5	Mudflat	43	19.23	43	20.81	86	40.04
6	Aerial roots	20	10.01	20	9.05	40	19.06
7	Urban	18	7.65	24	9.82	42	17.47
8	Bare ground	40	17.61	41	18.41	81	36.20
9	Vegetation	17	5.11	16	4.82	33	9.93
	Total	265	125.22	264	130.38	529	529

Flujo de Trabajo





・ロト ・ 母 ト ・ ヨ ト ・ 日 ・ つ へ ()・

Visualmente

Metodología 00



Metodología 00

Matriz de confusión



▲□▶▲□▶▲□▶▲□▶ = 三 のへ⊙